INTELLIGENT DESIGN WITHIN 3D REALITY.

IDEA

IDEA. ANIMATE THE UNIVERSE : ENERGY <=> IDEA <=> DIMENSIONS, YET, AN IDEA IS AN INTRODUCTION INTO THE VISUALIZATION OF POSSIBILITIES.



IDEA:
1. ENERGY
2. QUANTUM
3. DIMENSIONS
3A. SYMMETRY
PERMEATION
WITHIN
HIDDEN & VISIBLE

IDEA IS, INDEED, RECONNECTING THE WORLDS, DIMENSIONS, YET, ANIMATED BY THE NETWORK WITHIN ENERGY <=> PERMEATION <=> DIMENSIONS, AS WELL AS 3D REALITY, A LOGICAL CORRESPONDENCE WITHIN QUANTUM DIMENSIONS <=> HIDDEN SYMMETRIES <=> VISIBLE SYMMETRY.

IDEA IS ANIMATED WITHIN INVISIBLE, HIDDEN SYMMETRY WITHIN 3D REALITY <=> PHYSICAL WORLD.

IDEA, DE FACTO, TRANSFORM INANIMATE DIMENSION INTO INTERACTIVE DIMENSIONS <=> NETWORKS. IDEA ANIMATE IDEA <=> LIGHT FROM THE LIGHT...



1. MULTIVERSE
2. UNIVERSE
3. CLUSTERS
4. GALAXIES
5. MILKY WAY
6. SOLAR SYSTEM
7. EARTH <=> MOON
8. MAN <=> SOCIETY

PERMEATING IDEAS.

IDEA IS THE ENERGY WITHIN INTERACTIVE NETWORKS.

Idea Book

All Rights Reserved 1963/1989/2010/2018 qartsforpeace1@gmail.com Tel: 536508 394

Copyright © 2000/2010/2018 Mark J. Wagner
All Rights Reserved

E-mail: qartsforpeace1@gmail.com

Ecological Energy


Save Energy
3mbrace the Planet
* En3rgy Modules.
* Attachable to every light bulb.
* Energy savings; 50 - 80 %.
* Perfect solution during power outages.
* Universal charger for cell phones, electric equipment, toys, tools, radios, etc.
Application;
*homes, offices, transportation, hospitals, on land, sea & space.
All Rights Reserved 2011/ 2016 MJW

Watch Design “Pink Republic”

Interactive Transitions. Global Positioning. Orbital Positioning of Satellites.







Displays and Aesthetic Visual Transformations





Pink Republic Watch featuring real time orbitals, micro satellites, positioning, rocket lunches etc. (could also include International Space Station positioning, images, video). Designed for science, investors, designed for you... .

Medical Integrated Diagnostic Terminal



Cell Phone. Medical Integrated Diagnostic Terminal: ECG, Pulse, EEG, diabetes, epilepsy, etc. MZTD: sale, renting, software, production, integration with the new system of medical information in the world (integrated medical information system).

. . .

Integrated Medical Diagnosis Bank: a central system of medical diagnoses (comprehensive information, symptoms, comparative data, suggestions, information bank about specialists), supporting doctors, specialists in making diagnoses, in urgent cases, before and during treatment.

. . .

Protective Case

A mobile phone case that reduces emissions of electromagnetic waves that have a negative impact on health (brain, internal organs, etc.).

. . .

Protective clothing against the negative impact of electromagnetic waves (Faraday Cage vs threads within the fabric).

. . .

A guide on how to reduce electromagnetic waves at home, at school, at work, etc.

. . .

External Layer Technology (ELT)

Protective layer designed for buildings, yet, various constructions: bridges, factories, ships, vehicles, airplanes, etc. Protective layer would enhance structural flexibility. Technology is based on biological composition, de facto, external, protective layers, in this instance, skin.

Another important aspect with regard to **ELT** is high-tech protection of people in urban landscape, yet, areas known as seismic active. External layering would not only enhance structures from disintegration, yet, provide adequate protection for the community as well as infrastructure. External shielding, transparent layers, would incorporate solar capability along with Faraday's Cage (Grafen).



bilogical shield a



bilogical shield

biological shield b



Structural Clamp.

Design is based on human anatomy: ankle and wrist.

Structural clamp vs apllications: cracks, damages caused by kinetic shifts of buildings, diverse architectural applications such as bridges, historic structures, castles, as well as modern designs, including in a geographic locations, where kinetic shifts of a tectonic plates are common or possible.

Type of clamps: mechanical, pressurized, mechanical-air and liquid pressurized, mechanical-fiber-pressurized, hydraulic system.
MJW ©


OBEJMA STRUKTURALNO- DEKORACYJNA 100
CRACK/OPENING STRUCTURAL
+ WRAPPING (BIODEGRADABLE) TRANSPARENT
*STRUCTURAL SKIN (FINE, THIN THREADS)
*PHOTO - VOLTA CAPABILITY
*APPLICATIONS: REINFORCEMENT/STRUCTURAL, PROTECTION AGAINST SEVERE WEATHER CONDITIONS TORNADOES, EARTHQUAKES, FLOODS
* DECORATIVE (NON GLARE OR ILLUMINATION)
* HEAT SENSITIVE/SUMMER TIGHTENS, WINTER/OPPOSITE


OBEJMA STRUKTURALNA/DEKORACYJNA ©
ZAMEK W BĘDZINIE
ŁASZTEL/WIEŻA OD STRONY DZIEDZINCA
PĘKNIĘCIE ŚCIANY/MURU LUB POŁĄCZENIE BRYŁ ARCHITEKTONICZNYCH
OPIS:
A. OBEJMA ELEMENT/DEKORACYJNO STRUKTURALNY
B. REDUKCJA KINETYKI ORGAN ORAZ SEJSMICZNYCH
C. ŁATWA DO INSTALACJI
D. TRWAŁA
E. NAPRAWY PĘKNIĘĆ POŁĄCZENIA BUDYNKU
SPRĘŻYNA
SYSTEM MODUŁOWY
POŁĄCZENIA PRZEGUBOWE SFERYCZNE
POŁĄCZENIE PRZEGUBOWE WRAZ Z REDUKCJĄ GRANICĄ PRZEMIESZCZANIA
SPRĘŻYNA LUB(I) SYSTEM CIŚNIENIOWY
POŁĄCZENIE PRZEGUBOWE
ŚCIANA/MUR
PRZEGUBOWA OBEJMA ZEWNĘTRZNA
OBEJMA/PRZEGUBOWA WEWNĘTRZNA
ŚCIANA/MUR
OBEJMA PRZEGUBA ZEWNĘTRZNA/WEWNĘTRZNA
PĘKNIĘCIE
PĘKNIĘCIE
OBEJMA
REDUKCJA ORGAN, KINETYKI WEKTOROWEJ: PIONOWEJ, POZIOMEJ, POPRZECZNEJ
OBEJMA JAKO ELEMENT DEKORACYJNY: MOTYW ROŚLINNY, HERB, FAUNA/FLORA, HISTORIA



Pęknięcie: wieża czworoboczna i kasztel.

SM Cure

(proposition)

QUEST FOR HEALTH

HEALTH

BIOELECTRICITY <=> BIOELECTROMAGNETIC FIELD
SCIENCE VS SM (SCLEROSIS MULTIPLEX)

HUMAN IS, DE FACTO, COMPOSED OF ENERGY SPECTRUM, YET, ENERGY <=> QUANTUM DIMENSIONS <=> STANDARD MODEL <=> ATOMS <=> DENSITY <=> MATTER <=> MASS <=> MOLECULAR <=> BIOELECTRICITY <=> BIO ELECTROMAGNETIC FIELD. BIOLOGICAL TISSUE IS, INDEED, SPECIFIC DIMENSIONAL SPECTRUM OF ENERGY, YET, IT'S FUNCTION IS ESSENTIALY ELECTRIC <=> ELECTROMAGNETIC.

ELECTRIC <=> ELECTROMAGNETIC MECHANISM WITH APP. 80 BILLION NEURONS REQUIRE FINE TUNNING & CONTROL.







THE DIFFERENCE BETWEEN ELECTRIC POTENTIAL WITHIN DATA TRANSMISSION (AXONS WITH MYELINATED SHEATS) IS CONTROLLED WITHIN SPECIFIC RANGE. CONDUCTION VELOCITY BETWEEN MYELINATED AND UNMYELINATED IS ABOUT 50X FASTER. HUMAN BODY GENERATE BETWEEN 10-100 milivolts (150 m/s vs 0.5-10 m/s).
IF THE ELECTRIC CURRENT <=> FLOW EXCEEDS CONDUCTIVITY RANGE, MYELINATED SHEAT IS DAMAGED

ELECTRIC CONDUCTIVITY WITHIN SPECIFIC RANGE, AS WELL AS ENERGY SPECTRUM, DEFINE PROPER PERFORMANCE. IF ELECTRIC CURRENT EXCEEDS ANTICIPATED <=> DESIGNED <=> PERFORMANCE WITHIN DATA TRANSMISSION, PHYSICAL DAMAGE MAY OCCUR. HUMAN IS, DE FACTO, ELECTRIC <=> ELECTROMAGNETIC MECHANISM, YET, ACCEPTABLE RANGE <=> DATA FLOW GUARANTEE PROPER PERFORMANCE.

IN MY OPINION SCLEROSIS MULTIPLEX IS CAUSED BY EXCESSIVE, PERIODIC DATA <=> ELECTRIC SURGE. EXCESSIVE ELECTRIC CURRENT HAVE A DIRECT EFFECT ON MYELIN SHEAT.

BASED ON AVAILABLE DATA, INCLUDING AGE, GEOGRAPHICAL LOCATION, DIET, INDUSTRIAL ENVIRONMENT, WITH REGARD TO PEOPLE AFFECTED BY SM, FOLLOWING STATEMENT IS ANTICIPATED AS A POSSIBLE CAUSE OF THE PROBLEM: EXTERNAL CAUSES PROMPT INTERNAL RESPONSE, IN THIS INSTANCE ELECTRIC SURGE.

AGE: 16 - 50 <=> TIME FRAME VS THE BEGINNING (STATISTICAL) OF THE DISEASE IS SUGGESTING, THAT DEGENERATIVE SEQUENCE BEGINS IN TIMES OF PEAK PERFORMANCE, INCLUDING ELECTRIC <=> ELECTROMAGNETIC FLOW OF DATA <=> ELECTRIC BIOELECTRICITY.

PROPOSED PREVENTATIVE MEASURES, BESIDE PRESCRIBED MEDICAL TREATMENTS (AND WITH THE PERMISSION FROM THE PHYSICIAN), IS AS FOLLOW:

* EXERCISE & MEDITATION <=> RELAXATION (STRESS IS ENERGY <=> NEGATIVE).
* DIET BASED ON PRODUCTS FROM GEOGRAPHICAL AREAS WITH THE LOWEST SM
* WARM & COLD SHOWERS
* FREQUENT CONSUMPTION OF FOODS WITH NATURAL ANTIBIOTICS (VS VIRAL INF.)
* ANTIBIOTICS (PERIODICALLY) PRESCRIBED BY PHYSICIAN FOR PEOPLE WITH HIGHER RISK
* NATURAL OILS CONSUMPTION
* VITAMINS, MINERALS (NATURAL & SUPPLEMENTS)
* MASSAGE REDUCING MUSCLE TENSION & SPINE DISKS PRESSURES (ENERGY FLOW).

RELAPSING & REMITTING SEQUENCE WITH REGARD TO MS IS STRONGLY SUGGESTING THAT HUMAN BODY, DEFENSE SYSTEM IS ANIMATING SUCCESFUL COUNTER MEASURES, YET, IS OVERWHELMED BY EXCESSIVE DATA. REMITTING PERIOD REQUIRE SPECIAL ATTENTION TO ANALYZE IMMUNE PERFORMANCE.

ELECTRIC CURRENT <=> TEMPERATURE (ON ATOMIC <=> QUANTUM LEVEL) DEFINE PERFORMANCE WITHIN ANY ANTICIPATED SPECTRUM, FROM ENERGY <=> MATTER.

ELECTRIC <=> ELECTROMAGNETIC MANAGEMENT

MECHANICAL	ENERGY: FOODS	INTERNAL AWARE	INTERNAL UNAWARE
VIA MOTION	AIR, WATER	STRESS MANAGEMENT	(COUPLING WITH AWARE)

HUMAN HEALTH

ENVIRONMENT

EXTERNAL <=> PERMEATION <=> INTERNAL

HUMAN BRAIN IS PROGRAMMABLE VIA EXTERNAL AND INTERNAL DATA STIMULUS, YET, WE HAVE THE POWER TO STIMULATE EACH OTHE TOWARD HEALTH AS WELL AS WITHIN.

Energy

Electromagnetic Energy Chamber



Electrically Charged Molecules (common)
Electrical Discharge